#### LIFTING TOOLS



### LIFTING BELTS



## SPRING BALANCER




### LIFTING TABLES





- Valuable material handling equipment for use as a feeding table on assembly line.
- Structural heavy duty steel construction.
- · Easy action foot operated hydraulic lift for raising table top to desired level.
- Hand operated table decent control.
- · Over load by-pass value protects operator and pump.





#### TECHNICAL SPECIFICATIONS

MODEL		HP150	HP150/A	HP200	HP300/HP500	HP300A/HP500A	HP800	HPS350	HPB1000
Capacity	(Kg)	150	150	200	300/500	300/500	800	350	1000
Max, lifted height	H(mm)	740	74)	1000	900	900	1000	1300	1000
Min.height of table	h(mm)	225	225	340	280	340	420	350	380
Table Size	(mm)	700x450x35	740x450x35	1000x500x35	815x500x50	855x500x50	1000x510x55	910x500x52	1016x515x60
Handle height	A(mm)	935	935	1056	1000	970	996	970	960
Overall length	B(mm)	770	800	1120	935	925	1150	980	1170
Foot pedal cycles to max heig	ht	< 25	< 25	< 25	< 32 / < 45	< 32 / < 45	< 70	< 60	< 55
Wheel diameter	D(mm)	100	100	200	127	127	150	127	150
Weight approx	(kg)	44	44	600	75/85	75/85	115	110	115
Packing	(mm)	820x480x265	880x480x265	1140x620x460	960x530x420	950x530x390	1190x630x460	1010x530x390	1190x630x420

- . Designs and specifications subject to alterations for sake of improvement without notice
- · All dimensions are in mm unless otherwise specified.
- Copy of this literature or any part of it, is strictly reserved.

Spurious imitations are infiltrating the market please make sure you buy genuine "HY-TACK" products.

**BEWARE OF IMITATIONS** 

# HYDRAULIC JACKS

